

DPW



Application Number: 10/718,348

April 11, 2007

Applicant : John C. Simmons

Filed : 11/21/2003

Group Art Unit: 3766

Examiner : Deborah Leslie Malamud

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

**Response to office action mailed 3/26/2007**

For ease of reading, the examiner's numerical references to species numbered I – IV are used herein and those numerical references are also used at the beginning of topic-initiating paragraphs to identify the two “species” being discussed.

**“I” vs. “II”.** The action, in section 2, indicates that the “Species I” elements “are not disclosed as capable of use together ..” with the “Species II” (Claim 30) elements that “Species I” specifically uses in multiple embodiments for the provision of precision spatial alignment, carriage, power storage, etc. as described in the specification.

Applicant respectfully submits that not only are the two part of a unified embodiment but the specification specifically demonstrates their use together. As examples, applicant respectfully submits paragraphs identified in the specification: [0017] and all through [0086 – 0095] where the value of II's positional management on a difficult-to-attach-to physical form (a bird's body) is described.

Also in [0017], “An outer beak formed cover, 140, for attaching and connecting the inside-the-beak assembly and conveying the optional micro-armored cable, 150, for conveying power and data between the behavior director located inside the beak and the storage compartment, 110” describes one of the many unique-to-the-current-invention relationships between I and II. II would not be of much use or function independently in

that specific embodiment without the in-beak data-driven pattern stimulator or I. They are clearly described as working together.

Section 2 also describes “II” as a “restraining device” despite the description in the specification and the claim’s (Claim 30 which is all of “II”) emphasis on leaving the wearer as “unencumbered” as possible. Also, in further contrast to a restraining device, in the description of Fig. 3 in [0017] the “flexibility” of the assembly is an important consideration as in the “flexible fibers” of [0089]. Further, claim 30 is not a “restraining device” but a means to secure, align, and interface the multiple key elements of the invention. It does not in any way attempt to restrain the necessary movement of the wearer but, instead, endeavors to be unrestrictive leaving control of the wearer to its own, unfettered motor instincts to comply with the more “cerebral” guidance (willful obedience) described.

Also, these elements are specifically designed for each other as the specification illustrates in detail and thus do not have “materially different intended uses and constructions”.

III vs. I. Applicant respectfully submits that “III”, as described in the specification, is an embodiment comparable to the basic elements of I (w/much identical claim text) modified for special training applications and including additive software that would not work without some of the elements of I. Neither could #I do training as described in the claim 31 without elements of III. Also, “III” is not a training protocol and the phrase “positive and negative reinforcement” was placed in the “whereby” portion of the claim illustrating a well-known procedure applicable to but in no way restricting the current invention.

II vs. III. The action, in section 2, also indicates that the “Species II” and “Species III” elements “are not disclosed as capable of use together ..”. However, the “Species II” (Claim 30) elements are specifically designed for and described as the providers of the precision placement, alignment, mounting, and powering of the worn (portable, not

including the remote controller equipment) hardware of III's training elements. This includes the stimulation array and hardware precision spatial alignment, carriage, power storage, etc. as described in the specification. Applicant respectfully submits that not only are the two part of a unified embodiment but the specification specifically demonstrates their use together. As examples, applicant respectfully submits that worn embodiments of claim 31 requires the storage and power and communications cables of II, and the two are further shown used together in paragraphs [0017] and all through [0086 – 0095].

Section 2 also describes "II" as a "restraining device" despite the description in the specification and the claim's (Claim 30 which is all of "II") emphasis on leaving the wearer as "unencumbered" as possible. Also, in further contrast to a restraining device, in the description of Fig. 3 in [0017] the "flexibility" of the assembly is an important consideration as in the "flexible fibers" of [0089]. Claim 30 is not a "restraining device" but a means to secure, align, and interface the multiple key elements of the invention. It does not in any way attempt to restrain the necessary movement of the wearer but, specifically in contrast, endeavors to be unrestrictive leaving control of the wearer to its own, unfettered motor instincts to comply with the more "cerebral" guidance (willful obedience) described.

Also, these elements are specifically designed for each other as the specification illustrates in detail and thus do not have "materially different intended uses and constructions".

**II vs. IV.** The action, in section 2, further indicates that II and IV are unrelated because one is a "restraining device" and the other a "behavior controlling device".

II is not a restraining device. The specification and the claim's (Claim 30 which is all of "II") emphasize, as mentioned above, leaving the wearer as "unencumbered" as possible. Also, in further contrast to a restraining device, in the description of Fig. 3 in [0017] the "flexibility" of the assembly is an important consideration as in the "flexible fibers" of [0089]. Claim 30 is not a "restraining device" but a means to secure, align, and interface

the multiple key elements of the invention. It does not in any way attempt to restrain the necessary movement of the wearer but, specifically in contrast, endeavors to be unrestrictive.

Instead, II provides the precision spatial alignment, carriage, power storage, etc. that IV relies on for accurate and reliable placement and alignment as described in the specification. Applicant respectfully submits that not only are the two part of a unified embodiment but the specification specifically demonstrates their use together. As examples, applicant respectfully submits paragraphs identified in the specification: [0017] and all through [0086 – 0095].

Also, in [0017], “An outer beak formed cover, 140, for attaching and connecting the inside-the-beak assembly and conveying the optional micro-armored cable, 150, for conveying power and data between the behavior director located inside the beak and the storage compartment, 110” describes one of the many unique-to-the-current-invention relationships between I and II. II would not be of much use or function independently in that specific embodiment without an in-beak data-driven pattern stimulator. They are clearly described as working together.

Finally, applicant sought to be brief in this section but submits that all of the points in the more lengthy “I” vs. II” section above apply here as well and those not included here are incorporated by reference.

**III vs. IV.** Independent claim 31 describes a “stimulation means” where “means” directs us predominantly to those means described in the specification which “process” clearly will not be produced by the indicated “third party” “as opposed to the stimulation of a subject’s body”.


In paragraph 5 the elements of an integrated system are split up into species that don’t reflect the invention as described in the specification. Similarly, paragraph 6 suggests that “they are not disclosed as capable of use together” and states that “In the

instant case, the different inventions require different components that are not usable together..”. This language is confusing since all the elements work together (and could all exist in a single, functional embodiment working together at the same time) as described in the specification.

One of those embodiments is a bird being directed through the delivery system of I and IV powered by, secured by, maintaining the communications with, and being spatially aligned through the elements of II in the action of applying the computer training software and interactive stimulation-delivered techniques of III which depend on these stimulated directions, communications interfaces, power, support equipment, etc. as the key elements of the training interface. Take away any of those pieces (I,II,III, or IV) and that specific singular (and very useful) embodiment is not fully functional for the purposes described and claimed.

The action required without immediate benefit of discussion that an election be made and applicant respectfully, albeit under duress, obediently elects I with traverse so that the above explanations will be treated as a petition.

Respectfully submitted,



John C. Simmons  
Inventor  
(901) 754-9458